

03/06/00
jc780 U.S. PTO

3-7-00

A

Please type a plus sign (+) inside this box → ☐

Approved for use through 09/30/2000 OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))</small>	Attorney Docket No.	CH2000A
	First Inventor or Application Identifier	Carl Herman Haken
	Title	Graphical Interface Control System
	Express Mail Label No.	EK 593 921 209 US

APPLICATION ELEMENTS <small>See MPEP chapter 600 concerning utility patent application contents.</small>	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) <small>(Submit an original and a duplicate for fee processing)</small>	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages 14] <small>(preferred arrangement set forth below)</small> <ul style="list-style-type: none">- Descriptive title of the Invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the Invention- Brief Summary of the Invention- Brief Description of the Drawings (if filed)- Detailed Description- Claim(s)- Abstract of the Disclosure	6. Nucleotide and/or Amino Acid Sequence Submission <small>(if applicable, all necessary)</small> <ul style="list-style-type: none">a. <input type="checkbox"/> Computer Readable Copyb. <input type="checkbox"/> Paper Copy (identical to computer copy)c. <input type="checkbox"/> Statement verifying identity of above copies
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 2]	ACCOMPANYING APPLICATION PARTS <ul style="list-style-type: none">7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input type="checkbox"/> Power of Attorney <small>(when there is an assignee)</small>9. <input type="checkbox"/> English Translation Document (if applicable)10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations11. <input type="checkbox"/> Preliminary Amendment12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <small>(Should be specifically itemized)</small>13. <input checked="" type="checkbox"/> * Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired <small>(PTO/SB/09-12)</small>14. <input type="checkbox"/> Certified Copy of Priority Document(s) <small>(if foreign priority is claimed)</small>15. <input type="checkbox"/> Other: _____
4. Oath or Declaration [Total Pages 2] <ul style="list-style-type: none">a. <input checked="" type="checkbox"/> Newly executed (original or copy)b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) <small>(for continuation/divisional with Box 16 completed)</small><ul style="list-style-type: none">i. <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	
* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).	

16. If a **CONTINUING APPLICATION**, check appropriate box, and supply the requisite information below and in a preliminary amendment

<input type="checkbox"/> Continuation	<input type="checkbox"/> Divisional	<input type="checkbox"/> Continuation-in-part (CIP)	of prior application No. _____
Prior application information		Examiner	Group / Art Unit

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

<input type="checkbox"/> Customer Number or Bar Code Label	(Insert Customer No. or Attach bar code label here)	or <input checked="" type="checkbox"/> Correspondence address below
Name	Carl Haken	
Address	5 Old Neversink Road	
City	Danbury	State CT Zip Code 06811
Country	USA	Telephone 203 792 5837 Fax 203 748 3549

Name (Print/Type)	Carl Haken	Registration No. (Attorney/Agent)	—
Signature	<i>Carl Haken</i>	Date	3/6/00

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)
CH2000A

Applicant, Patentee, or Identifier: Carl Herman Haken

Application or Patent No.: _____

Filed or Issued: Concurrently

Title: Graphical Interface Control System

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ No such person, concern, or organization exists.
☐ Each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

Carl Herman Haken

NAME OF INVENTOR

NAME OF INVENTOR

NAME OF INVENTOR

Carl Herman Haken

Signature of inventor

Signature of inventor

Signature of inventor

3/6/2000

Date

Date

Date

Graphical Interface Control System

Background of the Invention

The invention relates to a graphical user interface for use in a computer or data processing system which includes a principal display and one or more attached devices with secondary displays which are movable with respect to the first display. More specifically the invention relates to a graphical interface which permits a user to seamlessly control information display on multiple display devices with a single pointing device.

Description of the Prior Art

At the present time most desktop and laptop computer systems make use of a graphical user interface wherein images on a display screen represent data and program icons on a virtual desktop. The user selects and controls the programs and data by use of a pointing device, typically a mouse, trackball or touchscreen, which is programmed to move a cursor on the screen. The system differentiates between various input commands and takes actions using program logic which combines information derived from the pushing of keyboard and mouse buttons with information which reflects the position of the cursor on the display screen.

Personal data assistant devices (PDA's) generally also use some form of graphical user interface. More sophisticated devices, for example those using the Microsoft Windows CE operating system have interfaces and pointing devices which closely resemble those on

1 laptop computers. Less sophisticated PDA's, handheld video games and cellular
2 telephones more typically accept inputs from a more simple set of directional keys and
3 may display user information in the form of highlighted menu entries or simple lighted
4 indicators or buttons.

5
6 Hardware and software is now readily available which allows devices in these and other
7 categories (for example digital cameras, audio players etc.) to be docked or otherwise
8 attached and/or interconnected to a computer system. The interconnected systems are,
9 however, usually complicated and difficult for a user to control. It is not uncommon for a
10 principal computer system to seize control of the inputs of a docked device, whereby the
11 keyboard and pointing device of the computer remotely control the docked device, but this
12 usually is done in a manner which significantly changes the graphical interface on the
13 docked device, and can be confusing for the user. The situation can become even more
14 complicated when multiple devices are docked to a system at the same time and the user is
15 required to sort-out the differences between the methods and interfaces used to control
16 them.

17 18 Summary of the Invention

19 A graphical user interface for a computer system allows a user to select and control
20 attached devices based upon the physical location of those devices relative to a principal
21 display screen. The system determines the relative direction from the principal display
22 screen toward each attached device and a graphical user interface allows the user to assume
23 control of each such device by using a principal pointing device to move a cursor to the

1 edge of the display screen in the direction of the device. As the cursor moves to the edge of
2 the principal display screen it seamlessly assumes control of the native display and
3 graphical interface on the docked device. The user is thus able to interpret information
4 from the docked device using a familiar interface and does not suffer from confusion about
5 which device he is operating
6

7 Description of the Drawing

8 The invention is described with reference to the drawings in which:

9 Figure 1 schematically shows a computer system in accordance with the invention; and
10 Figure 2 schematically shows details of some displays on the screens of the principal CRT
11 and a docked PDA.
12
13

14 A Preferred Embodiment

15 A system according to the invention comprises a desktop personal computer processor 10
16 which is connected in a conventional manner with a CRT display screen 12, a mouse
17 pointing device 14, and a keyboard 16. In this embodiment the computer 10 is preferably
18 programmed with the Microsoft Windows 98 operating system and is mainly controlled
19 via a graphical user interface (GUI) which is displayed as the well known virtual desktop
20 with program and data icons 101 and a cursor arrow 102. The cursor arrow moves on the
21 screen 12 up, down, right and left in response to the user's movement of the mouse 14 on a
22 table top.

1 The system also comprises a number of separate processor devices which are removably
2 interconnected with the computer 10 and which, by way of example, include a docked
3 PDA 200, a digital camera 210, a laptop computer 220, a scanner 230, a cellular or
4 cordless telephone 240 a second desktop computer and display 250, a television receiver
5 260 and a VCR 270. The manner in which each of these devices is connected to the
6 computer 10 is relatively unimportant and by way of illustration may include: a docking
7 cradle 201 which supports the PDA on the right side of the cabinet of CRT display 12 and
8 which couples to the PDA to the processor 10 via a multipin connector 202; a USB or
9 other network bus connection 225, 226, 227 to the laptop computer 220, the scanner 230
10 and the second desktop computer 250; infrared links 215a and 215b to the video camera
11 210, television receiver 260 and VCR 270 and a wireless radio link 245 to the cellular
12 telephone 240. Each separate processor device includes its own visual display device.
13 Again by way of example the laptop computer 220 and the PDA 200 respectively each
14 include an LCD display screen (220a, 200a) and operate under control of sophisticated
15 operating systems which support full virtual desktop displays with icons and cursors. In
16 contrast the video camera 210 and cellular telephone 240 may comprise less sophisticated
17 LCD screens (210a, 240a) which permit simple menu or icon selection via highlighting,
18 but without full cursor display and control. The television receiver may have a relatively
19 simple on-screen display 260a while the VCR 270 may have indicator lights 270a together
20 with a numerical channel or time indicator 270b and the scanner 230 may simply have a
21 display panel 230a with an array of indicator lights. Each of the separate processor devices
22 will include its own native user interface software, as conventionally used in that category
23 of appliance.

1 Sensors and other means are provided so that the computer 10 can be aware of the relative
2 direction from the CRT display screen 12 to each of the separate processor devices. In the
3 case of the PDA 200, the cradle 201 is shown permanently affixed to the right side of the
4 screen and the direction from the screen to the PDA will thus be known to be to the right
5 whenever the electrical interface through connector 202 is completed. Alternately, a switch
6 203 or a noncontacting sensor may be used to sense when the PDA is present in the
7 docking cradle. The directions from the display screen to the video camera 210 and to the
8 television receiver/VCR (260/270) can be determined using an array of directional infrared
9 sensors 216a, 216b and 216c and the direction to the cellular telephone can be determined
10 by using a directional antenna array 172 in the wireless interface. In general, the direction
11 from the CRT display to the larger hardwired devices, for example to the computers 220,
12 250 and scanner 230 will most easily be entered manually into the interface software data
13 by the user when these devices are first connected or later moved.

14
15 During operation, the user selects to control a particular separate processor device by using
16 the mouse pointer 14 to move the cursor 102 to an edge of the display screen 12 in the
17 relative direction of the selected device. Thus in the illustrations of Figures 1 and 2,
18 moving the cursor to the top edge 310 of the screen 12 will select control of the video
19 camera 210 , moving the cursor to the right center edge 300 of the screen will select
20 control of the PDA 200, moving the cursor to the top left corner edge 340 will select the
21 cellular telephone 240 etc. If two or more devices lie in the same general direction from the
22 display screen, as in the case of PDA 200 and the second computer 250, then separate
23 portions of the relevant screen edge can be assigned to select each device in a manner

1 which suggests their relative position to the user. For example, the portion of the right
2 screen edge 300 which is used to select the PDA 200 can be chosen below the edge portion
3 350 which is used to select the second computer 250 in order to give an impression that the
4 second computer 250 is more distant from the screen 12 than is the PDA 200. In practice
5 programmers skilled in the art will recognize that the cursor need only be moved into a hot
6 zone near the edge of the screen to trigger the software to cause it to transfer control.

7
8 As the cursor 102 is moved to an edge to the screen, interface software in the computer 10
9 checks to determine whether a controllable separate processor device lies in the indicated
10 direction and, if so, transfers the input signal from the mouse 16 to the pointer input of the
11 GUI software in that device. By way of example, in the Figures, moving the cursor to the
12 top of the screen 310 will, seamlessly transfer the output of the mouse to the video
13 camera's native interface and cause a highlighted entry to move to the bottom of a menu
14 list on the camera LCD screen 210a. Further movement of the mouse in same direction
15 will then cause the highlighting to move up the menu list on the camera LCD screen.
16 Similarly moving the cursor to the lower right edge 300 of the CRT screen 12 will transfer
17 the mouse input to the native interface of the PDA and enable the user to move the cursor
18 on the PDA screen . If the display on the selected separate processor device is a simple
19 array of indicator lights, for example as illustrated on scanner 230, then movement of the
20 mouse 14 may simply cause each light on the device to illuminate in sequence in response
21 to the mouse movement. Similarly, if the display on the separate processor device is a
22 numerical display, then the native GUI software may use movement of the mouse as a
23 signal to increment or decrement the indicated function and numerical display reading.

1
2 Depending on the characteristics of the native interfaces (for example in the laptop
3 computer 220 or the PDA 200) in each device, it may also be appropriate to seamlessly
4 transfer input signals from the computer keyboard 16 to a keyboard input for the separate
5 processor the device.
6

7 It is preferred to blank-out the cursor 102 on the CRT display 12 whenever control is
8 transferred to a separate processor device, which will give the impression that the cursor
9 has actually moved across to the connected device. When possible, the cursor on the
10 display of the connected device can have the same size and/or shape as the cursor on the
11 screen 12 in order to further enhance the impression that a single cursor has actually
12 moved across. Thus, as control is transferred to the PDA 200, a matching cursor 302 can
13 be generated on the left edge 315 of the PDA screen 200a, directly opposite the point on
14 the edge 300 of CRT screen 12 where the cursor 102 was last seen. It is also preferred to
15 place a warning icon at the appropriate edge of the display screen 12 to indicate that inputs
16 are being directed to a remote device. The cursor display can also be animated to create a
17 cartoon impression of movement while transfer of control is being effected.
18

19 Control inputs to the remote device can generally be discontinued whenever the cursor or
20 other indication on the remote devices display moves to an edge adjacent the computer
21 display 12, for example whenever the cursor 302 on the PDA display 200a moves back to
22 its left edge 315. However, in some cases, depending on the nature of the display and
23 native graphical interface in the separate processor device, it may be necessary for the user

1 to input a specific escape code via the mouse buttons or keyboard 16 to effect a return to
2 the interface operating system in the computer 10. The techniques mentioned above can
3 also be used to give the impression that a cursor is actually traveling back from the
4 separate processor display to the CRT screen.

5
6 It may be desirable to disable local controls of the connected processors whenever the
7 pointing device 14 and/or keyboard 16 assume control thereof. Thus when control of the
8 second desktop computer 250 is taken up by mouse 16, its own native keyboard and mouse
9 will be rendered inoperative by the system software.

CLAIMS

1. A system for processing and displaying data comprising:

a first processor which functions to generate an first image of a first graphical desktop user interface;

a first display screen connected to the first processor to display the first image;

a first pointing device connected to the first processor to control movement of a first cursor in the first image;

second processor means which include second visual display means and which are movable in relation to the first display screen;

means for communicating signals between the first processor and the second processor means;

means which determine a first relative direction, from the first display screen to the second visual display means; and

program means which expand the display of graphical desktop user interface onto the second visual display means at times when first processor is communicating with the second processor means and the second visual display means are also in the vicinity the first display screen so that movement of the first pointing device in the first relative direction causes the first cursor to move to and to appear to disappear off of an edge of first display screen and further causes the appearance of a new visual indication on the second visual display means.

1 2. The system of claim 1 wherein the second visual display means comprise a second
2 display screen and wherein the program means function so that movement of the first
3 pointing device in the first relative direction causes the first cursor to move to and
4 disappear off an edge of the first display screen in a direction toward the second visual
5 display means and to apparently seamlessly appear as a new cursor on the second display
6 screen.

7
8 3. The system of claim 2 wherein the program means function so that the new cursor
9 appears at an edge of the second display screen which is oriented toward the first display
10 screen.

11
12 4. The system of claim 2 wherein the first pointing device further functions to control
13 movement of the new cursor on the second display screen.

14
15 5. The system of claim 2 wherein the program means function to cause the first cursor to
16 reappear on the first display screen whenever the new cursor is moved off the edge of the
17 second display screen in a direction toward the first display screen.

18
19 6. The system of claim 1 wherein the first pointing device controls the appearance and
20 apparent movement of the new visual indication on the second visual display means.

21
22 7. The system of claim 1 wherein the means for communicating is a docking cradle
23 attached at an edge of the first display screen for supporting the second processor means.

1
2 8. The system of claim 7 wherein the means which determine comprise means which
3 sense that the second processor means are in the cradle.
4

5 9. The system of claim 1 wherein the means for communicating are a wireless interface
6 and wherein the means which determine comprise a directional antenna array.
7

8 10. The system of claim 1 wherein the means which communicate are an infrared light
9 interface and the means which determine are directional infrared sensors.
10

11 11. The system of claim 1 wherein the second visual display means comprise one or more
12 indicator lights.
13

14 12. The system of claim 1, wherein the second processor means is a device selected from
15 the group consisting of: personal data assistants, desktop personal computers, laptop
16 computers, digital cameras, audio players, video games, cordless telephones, cellular
17 telephones, television receivers, VCR's and scanners.
18

19 13. A method for processing and displaying data comprising:
20 generating a first graphical desktop user interface image on a first display screen with a
21 first processor;
22 using a first pointing device to control movement of a cursor on the first interface image;

communicating signals between the first processor and second processor means, which
second processor means are movable in relation to the first display screen and which
include second visual display means;
determining a first relative direction from the first display screen to the second visual
display means; and
expanding the display of graphical desktop user interface onto the visual display means at
times when first processor is communicating with the second processor means and the
second processor means are also in the vicinity the display screen so that movement of
the first pointing device in the first direction causes the cursor to move to and to appear to
disappear off of an edge of first display screen and further causes the appearance of a new
visual indication on the second visual display means.

14. A system for processing and displaying data comprising:

a first processor which functions to generate an first image of a desktop graphical user
interface;

a first display screen connected to the first processor to display the first image;

a first pointing device connected to the first processor to control movement of a cursor in
the first image;

second processor means which include second visual display means and which are
movable in relation to the first display screen;


means for communicating signals between the first processor and the second processor
means;

means which determine a first relative direction from the first display screen to the second visual display means; and
program means operating within at least the first processor to allow selection or movement of an indication on the second visual display means in response to operation of the first pointing device at times when first processor is communicating with the second processor means and the second processor means are also in the vicinity the first display screen so that operation of the first pointing device in the first direction causes the cursor to move to and to appear to disappear off of an edge of first display screen together with a corresponding visual indication on the second visual display means.

Graphical Interface Control System

Abstract

A graphical user interface for a computer system with attached processor devices transfers input control for a pointing device on a principal computer display to native display devices and interfaces on attached devices whenever the system senses that a display cursor has moved to the edge of a display in the direction of the attached device.





Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00 OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)	Attorney Docket Number	CH2000A
	First Named Inventor	Carl Herman Haken
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	
	Group Art Unit	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing	OR	<input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)
Examiner Name		

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Graphical Interface Control System

the specification of which (Title of the Invention)

☒ is attached hereto
OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
none			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)	
none		<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

Please type a plus sign (+) inside this box → 

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
none		

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number 

OR

☐ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number
none			

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto


Direct all correspondence to: ☐ Customer Number  OR ☒ Correspondence address below

Name	Carl Haken				
Address	5 Old Neversink Road				
Address					
City	Danbury	State	CT	ZIP	06811
Country	USA	Telephone	203 792 5837	Fax	203 748 3549

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname					
Carl Herman		Haken					
Inventor's Signature			Date	3/6/00			
Residence: City	Danbury	State	CT	Country	USA	Citizenship	USA
Post Office Address	5 Old Neversink Road						
Post Office Address							
City	Danbury	State	CT	ZIP	06811	Country	USA

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto